ELSEVIER

Journal of Statistical Planning and Inference 88 (2000) 355–356

journal of statistical planning and inference

www.elsevier.com/locate/jspi

Author Index Volume 88 (2000)*

Agresti, A., *see* M. Ghosh	(1)	99–115
Aires, N., Comparisons between conditional Poisson sampling and Pareto πps sampling designs	(1)	133–147
Albers, W., P.C. Boon and W.C.M. Kallenberg, The asymptotic behavior of tests for normal means based on a variance pre-test	(1)	47– 57
An, H.-Z., L.-X. Zhu and R.-Z. Li, A mixed-type test for linearity in time series	(2)	339–353
Boon, P.C., *see* W. Albers	(1)	47– 57
Brunner, E., *see* U. Munzel	(1)	117–132
Chen, M.-H., *see* M. Ghosh	(1)	99–115
Chen, X.R., Studies on consistency of LSE in China	(2)	181–188
Conniffe, D. and J.E. Spencer, Approximating the distribution of the maximum partial sum of normal deviates	(1)	19– 27
Dao-de, G. and H. Rong-Bing, Some finite sample properties of Zellner estimator in the context of *m* seemingly unrelated regression equations	(2)	267–283
Davidov, O. and M. Zelen, Exact tests for exponential regression	(1)	87– 97
Duckworth II, W.M., Some binary maximin distance designs	(1)	149–170
Fairchild, L.D., *see* S. Ghosh	(2)	301–317
Ghosh, A., *see* M. Ghosh	(1)	99–115
Ghosh, M., A. Ghosh, M.-H. Chen and A. Agresti, Noninformative priors for one-parameter item response models	(1)	99–115
Ghosh, S. and L.D. Fairchild, Inference on interactions between treatments and subjects within groups in a two-period crossover trial	(2)	301–317
Hayter, A.J., *see* W. Liu	(1)	75– 86
Horváth, L., Approximations for hybrids of empirical and partial sums processes	(1)	1– 18
Jimbo, M., *see* M. Mishima	(2)	319–338
Kallenberg, W.C.M., *see* W. Albers	(1)	47– 57
Khan, R.A., A note on Hammersley's estimator of an integer mean	(1)	37– 45
Landsman, Z., On the minimum of the Fisher information about the scale parameter and the singular Sturme–Liouville problem	(1)	29– 35
Li, R.-Z., *see* H.-Z. An	(2)	339–353
Liu, J., MSEM dominance of estimators in two seemingly unrelated regressions	(2)	255–266
Liu, W., T. Miwa and A.J. Hayter, Simultaneous confidence interval estimation for successive comparisons of ordered treatment effects	(1)	75– 86
Mishima, M., M. Jimbo and T. Shirakura, On the optimality of orthogonal arrays in case of correlated errors	(2)	319–338
Miwa, T., *see* W. Liu	(1)	75– 86
Munzel, U. and E. Brunner, Nonparametric methods in multivariate factorial designs	(1)	117–132
Puntanen, S., G.P.H. Styan and H.J. Werner, Two matrix-based proofs that the linear estimator *Gy* is the best linear unbiased estimator	(2)	173–179
Rao, J.N.K., *see* M. Yu	(2)	233–253
Rao, J.S., *see* J. Shao	(2)	215–231
Rong-Bing, H., *see* G. Dao-de	(2)	267–283

* The issue number is given in front of page numbers

Elsevier Science B.V.
PII: S0378-3758(00)00146-4

Shao, J. and J.S. Rao, The GIC for model selection: a hypothesis testing approach	(2)	215–231
Shirakura, T., *see* M. Mishima	(2)	319–338
Spencer, J.E., *see* D. Conniffe	(1)	19– 27
Stemann, D. and G. Trenkler, Some further results on the efficiency of the Cochrane–Orcutt-estimator	(2)	205–214
Styan, G.P.H., *see* S. Puntanen	(2)	173–179
Trenkler, G., *see* D. Stemann	(2)	205–214
Tu, W. and X.-H. Zhou, Pairwise comparisons of the means of skewed data	(1)	59– 74
Werner, H.J., *see* S. Puntanen	(2)	173–179
Wu, Q.-G., Some results on parameter estimation in extended growth curve models	(2)	285–300
Yu, M. and J.N.K. Rao, Inference for nested error linear regression models with unequal error variances	(2)	233–253
Zelen, M., *see* O. Davidov	(1)	87– 97
Zhao, L., Some contributions to M-estimation in linear models	(2)	189–203
Zhou, X.-H., *see* W. Tu	(1)	59– 74
Zhu, L.-X., *see* H.-Z. An	(2)	339–353